

R18



R8203386-01 - 22/05/2013

1	3580000	R 18 132 EM Dx	-	12-2010
1	3580001	R 18 132 EM SX	-	12-2010
1	3580002	R 18 132 IP DX	-	12-2010
1	3580003	R 18 132 IP SX	-	12-2010
1	3580607	R18 NG CINA	-	12-2010
1	537166	R 8132 G20 20mbar	-	12-2010
1	537470	R 8132 Racc.à Gauche	-	12-2010
1	537857	R 8132 G20 300 mbar	-	12-2010
1	537863	R 8132 G20 300 mbar	-	12-2010
1	537902	R 8132 G31 50 mbar	-	12-2010
1	537908	R 8132 G31 50 mbar	-	12-2010
1	537943	R 8132 ECS G20 20mb RACC. D.	-	12-2010
1	537949	R 8132 ECS G20 20mb RACC. G.	-	12-2010
1	538108	R 8132 ECS G31 50mb RACC. D.	-	12-2010
1	538114	R 8132 ECS G31 50mb RACC. G.	-	12-2010
1	25046117	RENDAMAX R18-132	-	12-2010
2	3580004	R 18 154 EM DX	-	12-2010
2	3580005	R 18 154 EM SX	-	12-2010
2	3580006	R 18 154 IP DX	-	12-2010
2	3580007	R 18 154 IP SX	-	12-2010
2	3580628	R18-154 NG CINA	-	12-2010
2	537167	R 8154 G20 20mbar	-	12-2010
2	537323	R 8154 G20 300 mbar	-	12-2010
2	537471	R 8154 Racc.à Gauche	-	12-2010
2	537858	R 8154 G20 300 mbar	-	12-2010
2	537864	R 8154 G20 300 mbar	-	12-2010
2	537903	R 8154 G31 50 mbar	-	12-2010
2	537909	R 8154 G31 50 mbar	-	12-2010
2	537944	R 8154 ECS G20 20mb RACC. D.	-	12-2010
2	537950	R 8154 ECS G20 20mb RACC. G.	-	12-2010
2	538109	R 8154 ECS G31 50mb RACC. D.	-	12-2010
2	538115	R 8154 ECS G31 50mb RACC. G.	-	12-2010
2	25046322	RENDAMAX R18-154	-	12-2010
3	3580008	R 18 180 EM DX	-	12-2010
3	3580009	R 18 180 EM SX	-	12-2010
3	3580010	R 18 180 IP DX	-	12-2010
3	3580011	R 18 180 IP SX	-	12-2010
3	3580629	R18-180 NG CINA	-	12-2010
3	537168	R 8180 G20 20mbar	-	12-2010
3	537472	R 8180 Racc.à Gauche	-	12-2010
3	537859	R 8180 G20 300 mbar	-	12-2010
3	537904	R 8180 G31 50 mbar	-	12-2010
3	537910	R 8180 G31 50 mbar	-	12-2010
3	537945	R 8180 ECS G20 20mb RACC. D.	-	12-2010
3	537951	R 8180 ECS G20 20mb RACC. G.	-	12-2010
3	538110	R 8180 ECS G31 50mb RACC. D.	-	12-2010
3	538116	R 8180 ECS G31 50mb RACC. G.	-	12-2010
3	25046424	RENDAMAX R18-180	-	12-2010
4	3580012	R 18 210 EM DX	-	12-2010
4	3580013	R 18 210 EM SX	-	12-2010


Col	Reference	Model type	Begin	End
-----	-----------	------------	-------	-----

4	3580014	R 18 210 IP DX	-	12-2010
4	3580015	R 18 210 IP SX	-	12-2010
4	3580630	R18-210 NG CINA	-	12-2010
4	537169	R 8210 G20 20mbar	-	12-2010
4	537473	R 8210 Racc.à Gauche	-	12-2010
4	537585	R 8210 G20 300 mbar	-	12-2010
4	537860	R 8210 G20 300 mbar	-	12-2010
4	537905	R 8210 G31 50 mbar	-	12-2010
4	537911	R 8210 G31 50 mbar	-	12-2010
4	537946	R 8210 ECS G20 20mb RACC. D.	-	12-2010
4	537952	R 8210 ECS G20 20mb RACC. G.	-	12-2010
4	538111	R 8210 ECS G31 50mb RACC. D.	-	12-2010
4	538117	R 8210 ECS G31 50mb RACC. G.	-	12-2010
4	25046491	RENDAMAX R18-210	-	12-2010
5	3580016	R 18 244 EM DX	-	12-2010
5	3580017	R 18 244 EM SX	-	12-2010
5	3580018	R 18 244 IP DX	-	12-2010
5	3580019	R 18 244 IP SX	-	12-2010
5	3580631	R18-244 NG CINA	-	12-2010
5	537170	R 8244 G20 20mbar	-	12-2010
5	537474	R 8244 Racc.à Gauche	-	12-2010
5	537906	R 8244 G31 50 mbar	-	12-2010
5	537912	R 8244 G31 50 mbar	-	12-2010
5	537947	R 8244 ECS G20 20mb RACC. D.	-	12-2010
5	537953	R 8244 ECS G20 20mb RACC. G.	-	12-2010
5	538112	R 8244 ECS G31 50mb RACC. D.	-	12-2010
5	538118	R 8244 ECS G31 50mb RACC. G.	-	12-2010
6	3580020	R 18 280 EM DX	-	12-2010
6	3580021	R 18 280 EM SX	-	12-2010
6	3580022	R 18 280 IP DX	-	12-2010
6	3580023	R 18 280 IP SX	-	12-2010
6	3580632	R18-280 NG CINA	-	12-2010
6	537171	R 8280 G20 20mbar	-	12-2010
6	537475	R 8280 Racc.à Gauche	-	12-2010
6	537907	R 8280 G31 50 mbar	-	12-2010
6	537913	R 8280 G31 50 mbar	-	12-2010
6	537948	R 8280 ECS G20 20mb RACC. D.	-	12-2010
6	537954	R 8280 ECS G20 20mb RACC. G.	-	12-2010
6	538113	R 8280 ECS G31 50mb RACC. D.	-	12-2010
6	538119	R 8280 ECS G31 50mb RACC. G.	-	12-2010


Col	Reference	Model type	Begin	End
-----	-----------	------------	-------	-----





	Description	Manf. Pt N	Type	132 154 180 210 244 280 R 18 R 18 R 18 R 18 R 18 R 18																	
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
0100	ГАЗОВАЯ ЧАСТЬ																				
0101	РЕДУКТОР ДАВЛЕНИЯ SKP 25.001E2	64300702		●	●	●	●	●	●												
	РЕДУКТОР ДАВЛЕНИЯ SKP 25.003E2	64200092		●	●	●	●	●	●												
0102	РЕДУКТОР ДАВЛЕНИЯ SKP 15.000E2	64200094		●	●	●	●	●	●												
	РЕДУКТОР ДАВЛЕНИЯ SKP 15.001E2	64300710		●	●	●	●	●	●												
0103	ГАЗОВЫЙ КЛАПАН VGF10.654P	17016180						●	●	●											
	ГАЗОВЫЙ КЛАПАН VGG10.504P	17016179		●	●	●															
0104	РЕГУЛЯТОР ДАВЛЕНИЯ RV 12 M	64211210		●	●	●	●	●	●												
0105	КЛАПАН+КАБЕЛЬ	65000265		●	●	●	●	●	●												
0106	СЕРВОДВИГАТЕЛЬ STM30Q	64200089		●	●	●	●	●	●												
0107	СЕРВОПРИВОД NY M644 R18	64201041		●	●	●	●	●	●												
0108	ПРУЖИНА	17008845		●	●	●	●	●	●												
0109	РЫЧАГ ДРОССЕЛЬНОГО КЛАПАНА	65108062		●	●	●	●	●	●												
0110	РЕЛЕ ДАВЛЕНИЯ LGW3 SS KIT-C18	64400401		●	●	●	●	●	●												
0111	РЕЛЕ ДАВЛЕНИЯ 0-> 50mb	64401601		●	●	●	●	●	●												
	РЕЛЕ ДАВЛЕНИЯ 0->150mb	64201433		●	●	●	●	●	●												
0113	ПРОКЛАДКА D:11.3-7.7-1.8	64210804		●	●	●	●	●	●												
0114	О-КОЛЬЦО D:45.7-2.6	64210808		●	●	●															
	О-КОЛЬЦО D:60-2.6	64210809					●	●	●												
0115	СМАЗКА MOLYKOTE BR2	65108157		●	●	●	●	●	●												
0117	ВТУЛКА 2 1/2"	17015908					●	●	●												
	ВТУЛКА 2"	17015909		●	●	●															
0119	ВАЛ	64210003		●	●	●	●	●	●												
0120	КОРПУС ДРОССЕЛЬНОГО КЛАПАНА 132=>180	17017678	NAT	●	●	●															
	КОРПУС ДРОССЕЛЬНОГО КЛАПАНА 210=>280	17017679	NAT				●	●	●												
0121	ДРОССЕЛЬНЫЙ КЛАПАН PROR 1 1/2"	64210009	B/P	●	●	●															
	ДРОССЕЛЬНЫЙ КЛАПАН PROR 2 1/2"	64210010	B/P				●	●	●												
0122	ДРОССЕЛЬНЫЙ КЛАПАН 2"	17016467	NAT	●	●	●															
	ДРОССЕЛЬНЫЙ КЛАПАН NAT	17016468	NAT				●	●	●												
0123	РЕЛЕ ПРОТОКА F61SB-9100	64210206		●	●	●	●	●	●												
	РЕЛЕ ПРОТОКА	64210205		●	●	●	●	●	●												
0124	ДАТЧИК QAD 22	64300902		●	●	●	●	●	●												
	ДАТЧИК QAE2120.010	17017680		●	●	●	●	●	●												
0125	СОЕДИНИТЕЛЬ УГЛОВОЙ 1/8 D.6	64211226		●	●	●	●	●	●												
	СОЕДИНИТЕЛЬ ПРЯМОЙ 1/8 D.6	64211224		●	●	●	●	●	●												
0126	СОЕДИНИТЕЛЬ УГЛОВОЙ 1/4 D.6	64211227		●	●	●	●	●	●												
	СОЕДИНИТЕЛЬ ПРЯМОЙ 1/4 D.6	64211225		●	●	●	●	●	●												
0128	ТРУБКА D:4/6 L:2 м	64211407		●	●	●	●	●	●												
0130	ТЕРМОСТАТ ПЕРЕГРЕВА 150°C	64211405		●	●	●	●	●	●												
	ТЕРМОСТАТ IMIT LS1 + КАПИЛЛЯР L:3 м	64300004		●	●	●	●	●	●												
	ТЕРМОСТАТ JUMO 0-50°C	64211402		●	●	●	●	●	●												
0132	КОНТРОЛЛЕР DTRON .304	64201537		●	●	●	●	●	●												
	КОНТРОЛЛЕР RWF40.010 A97	64201393		●	●	●	●	●	●												
	КОМПЛЕКТ ПЕРЕВОДА С RWF32 НА RWF40	64200067		●	●	●	●	●	●												
0133	АДАПТЕР ARG 40 ДЛЯ RWF 40	1758803985		●	●	●	●	●	●												
0140	AGM30 БЛОК ЧУВСТВИТЕЛЬНОСТИ К ФАЗЕ	17007085		●	●	●	●	●	●												
0141	КОРПУС ДЛЯ LFL 1.148	64300901		●	●	●	●	●	●												
0142	КОНТРОЛЛЕР LFL 1.122	64300804		●	●	●	●	●	●												
	КОНТРОЛЛЕР LFL 1.148	64200797		●	●	●	●	●	●												




	Description	Manf. Pt. N	Type	R 18 132 R 18 154 R 18 180 R 18 210 R 18 244 R 18 280																		31	
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
0200	ГАЗОВАЯ ЧАСТЬ																						
0201	ФОРСУНКА D:1.85 мм (50 шт.)	64200295-01	NAT.	●	●	●	●	●	●														
	ФОРСУНКА D:1 мм (20 шт.)	64210712-01	B/P.	●	●	●	●	●	●														
0202	О-КОЛЬЦО D:85.32-3.53	17007789		●	●	●	●	●	●														
0203	КЕРАМИЧЕСКИЙ ИЗОЛЯТОР	12067690		●	●	●	●	●	●														
0205	ПРИЖИМ ГОРЕЛОК	64211359		●																			
	ПРИЖИМ ГОРЕЛОК	64211360			●																		
	ПРИЖИМ ГОРЕЛОК	64211361				●																	
	ПРИЖИМ ГОРЕЛОК	64211362					●																
	ПРИЖИМ ГОРЕЛОК	64211363						●															
	ПРИЖИМ ГОРЕЛОК	64211364							●														
0206	ОГРАЖДЕНИЕ	64201022								●													
	ОГРАЖДЕНИЕ	65108073		●																			
	ОГРАЖДЕНИЕ	65108085			●																		
	ОГРАЖДЕНИЕ	65108097				●																	
	ОГРАЖДЕНИЕ	65108109					●																
	ОГРАЖДЕНИЕ	65108120						●															
0207	ГОРЕЛКА АТМОСФЕРНАЯ (20 шт.)	64211209-01		●	●	●	●	●	●														
0208	ЗАПАЛЬНАЯ ГОРЕЛКА	64211205		●	●	●	●	●	●														
0210	АЛЮМ. ПРОВОД ДЛЯ ПОДКЛЮЧ. ЭЛ. РОЗЖИГА	65108214		●	●	●	●	●	●														
0211	НИЖНЯЯ РЕШЕТКА 132→154	64200613		●																			
	НИЖНЯЯ РЕШЕТКА R18 154	64200614			●																		
	НИЖНЯЯ РЕШЕТКА R18 180	64200615				●																	
	НИЖНЯЯ РЕШЕТКА R18 210	64200616					●																
	НИЖНЯЯ РЕШЕТКА R18 244	64200617						●															
	НИЖНЯЯ РЕШЕТКА R18 280	64200618							●														
0212	ПРОВОЛОКА КРЕПЛЕНИЯ D:1.5 мм L:5 м	65000455		●	●	●	●	●	●														
0213	ГОРЕЛКА С ЭЛЕКТРОДАМИ РОЗЖ./ИОНИЗ.	17006524		●	●	●	●	●	●														
0215	ВОЗДУШНЫЙ ШИБЕР	65108077		●																			
	ВОЗДУШНЫЙ ШИБЕР	65108088			●																		
	ВОЗДУШНЫЙ ШИБЕР	65108100				●																	
	ВОЗДУШНЫЙ ШИБЕР	65108111					●																
	ВОЗДУШНЫЙ ШИБЕР	65108123						●															
	ВОЗДУШНЫЙ ШИБЕР	65108134							●														
0216	КОНЦЕВОЙ ВЫКЛЮЧАТЕЛЬ BZ 2RW82-A2	17008405		●	●	●	●	●	●														



	Description	Manf. Pt. N	Type	R 18 132 R 18 154 R 18 180 R 18 210 R 18 244 R 18 280 31
--	-------------	-------------	------	---



[illegible]



5000

5001	5002	5005
Transf. gaz > B/P	Transf. gaz > NAT	Options
Conv. gas > LPG	Conv. gas > NAT	Accessories
Trasf. gas > GPL	Trasf. gas > MET	Opzioni
Transf. gas > B/P	Transf. gas > MET	Accessorio
Unrustsatz > B/P	Unrustsatz > NAT	Option

	Description	Manf. Pt. N	Type	R 18 132 R 18 154 R 18 180 R 18 210 R 18 244 R 18 280 31																	
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
0600	ИЗОЛЯЦИЯ																				
0601	КОМПЛЕКТ ИЗОЛЯЦИИ.	65108078		●																	
	КОМПЛЕКТ ИЗОЛЯЦИИ	65108089			●																
	КОМПЛЕКТ ИЗОЛЯЦИИ	65108101				●															
	КОМПЛЕКТ ИЗОЛЯЦИИ	65108112					●														
	КОМПЛЕКТ ИЗОЛЯЦИИ	65108124						●													
	КОМПЛЕКТ ИЗОЛЯЦИИ	65108135							●												
0602	УПЛОТНЕНИЕ ТЕРМОСТОЙКОЕ (КОМПЛЕКТ)	65108079		●															12/89		
	УПЛОТНЕНИЕ ТЕРМОСТОЙКОЕ (КОМПЛЕКТ)	65108090			●														12/89		
	УПЛОТНЕНИЕ ТЕРМОСТОЙКОЕ (КОМПЛЕКТ)	65108102				●													12/89		
	УПЛОТНЕНИЕ ТЕРМОСТОЙКОЕ (КОМПЛЕКТ)	65108113					●												12/89		
	УПЛОТНЕНИЕ ТЕРМОСТОЙКОЕ (КОМПЛЕКТ)	65108125						●											12/89		
	УПЛОТНЕНИЕ ТЕРМОСТОЙКОЕ (КОМПЛЕКТ)	65108136							●										12/89		
0603	КРЕПЛЕНИЕ ПЛАСТИН	17015495		●																	
	КРЕПЛЕНИЕ ПЛАСТИН	17015496								●											
	КРЕПЛЕНИЕ ПЛАСТИН	17015501			●																
	КРЕПЛЕНИЕ ПЛАСТИН	17015502				●															
	КРЕПЛЕНИЕ ПЛАСТИН	17015503					●														
	КРЕПЛЕНИЕ ПЛАСТИН.	17015504							●												
0604	ИЗОЛЯЦИЯ R18 140C	17016346		●	●	●	●	●	●	●											
0607	ГЛЯДЕЛКА	12083849		●	●	●	●	●	●	●											
5000	АКСЕССУАРЫ																				
5001	КОМПЛЕКТ ПЕРЕВОДА НА СУГ	65108076		●																	
	КОМПЛЕКТ ПЕРЕВОДА НА СУГ	65108087			●																
	КОМПЛЕКТ ПЕРЕВОДА НА СУГ	65108099				●															
	КОМПЛЕКТ ПЕРЕВОДА НА СУГ	65108110					●														
	КОМПЛЕКТ ПЕРЕВОДА НА СУГ.	65108122						●													
	КОМПЛЕКТ ПЕРЕВОДА НА СУГ.	65108133							●												
5002	КОМПЛЕКТ ПЕРЕВОДА НА ПРИРОДНЫЙ ГАЗ	64201028					●														
	КОМПЛЕКТ ПЕРЕВОДА НА ПРИРОДНЫЙ ГАЗ	65108074		●																	
	КОМПЛЕКТ ПЕРЕВОДА НА ПРИРОДНЫЙ ГАЗ	65108086			●																
	КОМПЛЕКТ ПЕРЕВОДА НА ПРИРОДНЫЙ ГАЗ	65108098				●															
	КОМПЛЕКТ ПЕРЕВОДА НА ПРИРОДНЫЙ ГАЗ	65108121						●													
	КОМПЛЕКТ ПЕРЕВОДА НА ПРИРОДНЫЙ ГАЗ	65108132							●												
5005	KIT DISASSEMBLY / ASSEMBLY R18	65108155	R18.	●	●	●	●	●	●	●											

LIST OF THE ABBREVIATIONS

HW	: Hot water.
CW	: Cold water.
C	: Ceramic resistance (normal heating).
Ca	: Ceramic resistance (accelerated heating)
TP	: Immersion heater.
1F	: With fittings.
2F	: Without fittings.
3F	: With fittings and another outlet connection.
AMI	: With mixing valve.
SMI	: Without mixing valve.
PUISS	: Power of th appliance.
PN	: Appliance with normal pression.
LP	: Appliance with low pression.
PV	: Appliance with variable power.
PF	: Appliance with fixed power.

IDENTIFICATION PLATE

SERIAL NUMBER

10 Characters :	04 05 125 011	
		Sequential number
		Manufacturing day
		Year of manufacture
11 Characters :	1 95 065004 - 31	
Month of manufacture : from 1 to 9 → Jan. to Sep., O → Oct., N → Nov., D → Dec.		Technical number of the appliance
		Sequential number
		Year of manufacture
19 Characters :	08 05 0013199 900640031	
Year of manufacture		Product reference
Month of manufacture		Sequential number
20 Characters :	3675007 XX 2 07 070 00315	
Product reference		Sequential number
Millenium of manufacture		Manufacturing day
		Year of manufacture
21 Characters :	3675007 XX 07 070 0000315	
Product reference		Sequential number
Year of manufacture		Manufacturing day